ICX8200-C08ZP | RUCKUS ICX 8200-C08ZP



Entry-Level+ Access Compact 8 Ports Multigigabit PoE Switch

Product Classification

Regional Availability

Asia | Australia/New Zealand | EMEA | Latin America | North

America

Product Type Ethernet switch

Product Brand RUCKUS®

General Specifications

Switching Capacity, maximum 56 Gb/s

1 GbE RJ45 Ports, quantity, maximum 8

1 GbE SFP Ports, quantity, maximum 2

10 GbE SFP+ Ports, quantity, maximum 2

1/2.5 GbE RJ45 Ports, quantity, maximum 4

1/2.5/5/10 GbE RJ45 Ports, quantity, maximum 4

10 GbE RJ45 Ports, quantity, maximum

PoE Power Budget, maximum 240 W

Switches per Stack, maximum 12

Aggregate Stack Bandwidth, maximum 600 Gb/s

PoE/PoE+ Yes

Stacking Yes

sFlow Yes

Layer 3 (STATIC, RIP, OSPF)
Yes

OpenFlow with Hybrid Port Mode Yes

Campus Fabric Technology No

Redundant Power Option

Hot Swap Internal Power Supplies & Fans No

802.3bt2 (90 W PoE Power per Port) Yes

VRF Yes



No

ICX8200-C08ZP | RUCKUS ICX 8200-C08ZP

EEE (Energy Efficient Ethernet)	Yes
IPsec VPN, with service module	No
MACsec	No
BGP	No
Reversible Airflow Option	No
VxLAN	Yes
Multi Chassis Trunking (MCT)	No

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted

